

**From:** [Schuster, Cindy](#)  
**To:** [\(Merkley\) Adrian Deveny](#)  
**Cc:** [Holsman, Marianne](#); [Schuster, Cindy](#)  
**Subject:** RE: Portland Harbor call for Senator Merkley's office  
**Date:** Monday, July 11, 2016 1:43:06 PM

---

Hi Adrian,

Below is the earlier email that I mentioned in an email a few minutes ago. Please let me know if the information below answers your questions, or if we should still have a conference call.

With my regards,

Cindy

Cindy Colgate Schuster

Congressional Liaison

International Coordinator

U.S. EPA Region 10

Seattle, WA

206-553-1815

---

**From:** Schuster, Cindy  
**Sent:** Tuesday, June 28, 2016 10:41 AM  
**To:** (Merkley) Adrian Deveny  
**Cc:** Holsman, Marianne ; Levine, Carolyn ; Schuster, Cindy  
**Subject:** RE: Portland Harbor call for Senator Merkley's office

Hello Adrian,

I'm not sure that you're available for a call today, so here is information in response to your Portland Harbor questions yesterday.

Operable units: It was actually "early actions" that were used at the Duwamish site, not operable units.

State concurrence: As expected, EPA is keeping the state informed along the way, so there should be no surprises to delay state concurrence on the record of decision.

Resampling: Sampling was done to characterize the site and do the risk assessment. The sampling data was not intended for construction purposes. Parties doing the cleanup will sample and get data before the cleanup design and construction; they will not want to do cleanup where it's not needed. The parties can also do more sampling as part of the cleanup allocation process.

Please let me know if you have other questions.

With my regards,

Cindy Schuster

---

**From:** Schuster, Cindy  
**Sent:** Monday, June 27, 2016 4:11 PM  
**To:** (Merkley) Adrian Deveny <[Adrian\\_Deveny@merkley.senate.gov](mailto:Adrian_Deveny@merkley.senate.gov)>  
**Cc:** Holsman, Marianne <[Holsman.Marianne@epa.gov](mailto:Holsman.Marianne@epa.gov)>; Schuster, Cindy <[Schuster.Cindy@epa.gov](mailto:Schuster.Cindy@epa.gov)>  
**Subject:** Portland Harbor call for Senator Merkley's office

Hello Adrian,

It was nice talking to you this afternoon about the Portland Harbor Proposed Plan schedule. I'd

like to follow up by including Cami Grandinetti in a call about the other things that you brought up: use of operable units; state concurrence; and purpose and effect of resampling. Would you be available for a 15-minute call tomorrow (Tuesday) at 11:00 am EDT/8:00 am PDT, or between 1:30 and 2:15 pm EDT/10:30 and 11:15 am PDT?

With my regards,

Cindy

Cindy Colgate Schuster

Congressional Liaison

International Coordinator

U.S. EPA Region 10

Seattle, WA

206-553-1815